

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((FRANCISUS) near2 (TUINSTRAL)). INV.	US-PGRUB; USPAT; USOCR	OR	ON	2008/01/08 12:57
S2	2	"20040228284"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:07
S3	1148	(370/332,333).CQLS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/08 13:20
S4	52	S3 and ((connectionless (connectionless) (connection adj less) routing) with ((client and server) node terminal))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:21
S5	4	S3 and ((connectionless (connectionless) (connection adj less) routing) with ((client and server) node terminal) with (QoS (quality near2 service)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:28
S6	1737	(370/332,333,395.52).CQLS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/08 13:29
S7	10	S6 and ((connectionless (connectionless) (connection adj less) routing) with ((client and server) node terminal) with (QoS (quality near2 service)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:29
S8	5730	(370/332,333,395.52,252).CQLS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/08 13:37
S9	28	S8 and ((connectionless (connectionless) (connection adj less) routing) with ((client and server) node terminal) with (QoS (quality near2 service)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:37

S10	18	S9 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:37
S11	0	(client-server) with quality with connectionless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:47
S12	124	(client-server) with quality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:47
S13	48	(client-server) with quality same (Qos (quality adj service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:48
S14	48	S13 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:48
S15	47	((("5491800") or ("5499343") or ("5515508") or ("5548723") or ("5553083") or ("5577172") or ("5633999") or ("5678007") or ("5727002") or ("5740355") or ("5742596") or ("5742833") or ("5781550") or ("5781733") or ("5796949") or ("5822524") or ("5826027") or ("5832219") or ("5838683") or ("5841976") or ("5864535") or ("5864683") or ("5867652") or ("5878218") or ("5884324") or ("5889942") or ("5896508") or ("5940516") or ("5978849") or ("6009478") or ("6014671") or ("6014695") or ("6018619") or ("6032189") or ("6032197") or ("6070182") or ("6105059") or ("6122637") or ("6151297") or ("6151602") or ("6151696") or ("6185617") or ("6212175") or ("6212175") or ("6219045") or ("6219045") or ("6223217") or ("6223217") or ("6243360") or ("6263371"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/08 13:58
S16	47	S15 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 13:58

S17	0	"20040228284"	USPAT	OR	OFF	2008/01/09 14:23
S18	0	"20040228284"	USPAT	OR	OFF	2008/01/09 14:23
S19	2	"20040228284"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:23
S20	77	(client with server) with packet with (timestamp (time adj stamp) time- stamp)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 15:50
S21	1	("6012096").PN.	USPAT; USOCR	OR	OFF	2008/01/09 16:13
S22	0	"2002124096"	USPAT	OR	OFF	2008/01/09 16:15
S23	0	"2002073228"	USPAT	OR	OFF	2008/01/09 16:15
S24	2	"2002124096"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 16:15
S25	3	"2002073228"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 16:15
S26	2	"2002124096"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 16:16
S27	0	"2002124096"	US-PGRUB; USPAT	OR	OFF	2008/01/09 16:18
S28	0	"2002124096"	US-PGRUB; USPAT	OR	OFF	2008/01/09 16:23
S29	2	"2002124096"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 16:24
S30	2	((("5689688") or ("5924096"))).PN.	USPAT	OR	OFF	2008/01/09 16:47
S31	1	("5751721").PN.	USPAT	OR	OFF	2008/01/09 16:48
S32	360	(client and server) with packet\$1 with network with time	US-PGRUB; USPAT; USOCR	OR	ON	2008/01/10 08:31

S33	18	(client and server) with packet\$1 with network with timestamp	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:32
S34	439	packet\$1 with network with timestamp	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:34
S35	177	packet\$1 with network with timestamp with data	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:34
S36	12	packet\$1 with network with timestamp with modified adj data	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:35
S37	1	packet\$1 with network with timestamp with modified adj data	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:35
S38	3	packet\$1 with network with timestamp with timeout	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:36
S39	0	client-server with packet with (timestamp time-stamp)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:38
S40	352	client-server with packet	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:38
S41	39	client-server with packet with time	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:38
S42	67	client-server with UDP	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:45
S43	80	(client near send\$3) with UDP	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:56
S44	137	(client near2 send\$3) with UDP	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 08:56
S45	14	UDP with timeout with send	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 09:32
S46	443	UDP with receive with send	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 09:33
S47	20	UDP with receive with send with time	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 09:33
S48	2	"20040228284"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:44
S49	94	UDP adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:45
S50	352	UDP near5 (server with client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:51
S51	12	(UDP near5 (server with client)) with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:51

S52	12	S51 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:51
S53	10	(US-20040090959-\$).did. or (US-7290028-\$ or US-6763392-\$ or US-6680943-\$ or US-6678264-\$ or US-6263371-\$ or US-6151696-\$ or US-6012096-\$ or US-6182139-\$ or US-6704786-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/10 09:53
S54	8	S53 and client near5 server	USPAT	OR	OFF	2008/01/10 09:54
S55	0	S53 and ((client near5 server) with burst )	USPAT	OR	OFF	2008/01/10 09:55
S56	383	UDP same (burst normal)	USPAT	OR	OFF	2008/01/10 09:55
S57	3	UDP same (burst and normal)	USPAT	OR	OFF	2008/01/10 09:55
S58	2	UDP with (burst near9 normal)	USPAT	OR	OFF	2008/01/10 09:56
S59	1	"20020073228"	USPAT	OR	OFF	2008/01/10 10:58
S60	0	"20020124096"	USPAT	OR	OFF	2008/01/10 11:04
S61	0	"20020124096"	USPAT	OR	OFF	2008/01/10 11:04
S62	1	("6907460").PN.	USPAT; USOCR	OR	OFF	2008/01/10 11:04
S63	12	(US-20040090959-\$).did. or (US-7290028-\$ or US-6763392-\$ or US-6680943-\$ or US-6678264-\$ or US-6263371-\$ or US-6151696-\$ or US-6012096-\$ or US-6182139-\$ or US-6704786-\$ or US-7080160-\$ or US-6907460-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/10 11:10
S64	4	S63 and timestamp	USPAT	OR	OFF	2008/01/10 11:10
S65	4	S63 and timestamp and UDP	USPAT	OR	OFF	2008/01/10 11:10
S66	0	S63 and timestamp with UDP	USPAT	OR	OFF	2008/01/10 11:10
S67	1	S63 and timestamp same UDP	USPAT	OR	OFF	2008/01/10 11:10
S68	4	S63 and timestamp and UDP	USPAT	OR	OFF	2008/01/10 11:11
S69	34	timestamp with UDP	USPAT	OR	OFF	2008/01/10 11:17
S70	1	("6012096").PN.	USPAT; USOCR	OR	OFF	2008/01/10 11:29
S71	48	UDP with timeout	USPAT	OR	OFF	2008/01/10 13:32
S72	858	(time period) with (last near2 packet)	USPAT	OR	OFF	2008/01/10 14:21

S73	67	(time period) with (elapsed lapsed) with (last near2 packet)	USPAT	OR	OFF	2008/01/10 14:21
S74	144	(time period) with (elapsed lapsed) with (last near2 packet)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 14:22
S75	27783821	@ad<"20030416" @prad<="20030416" @rlad<="20030416"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 14:22
S76	105	S74 and S75	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 14:23
S77	105	S76 and packet	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 14:23
S78	2	"20020150091"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 15:07
S79	1	("6216163").PN.	USPAT; USOCR	OR	OFF	2008/01/10 15:14
S80	1	("6321283").PN.	USPAT; USOCR	OR	OFF	2008/01/10 15:16
S81	1	("6012096").PN.	USPAT; USOCR	OR	OFF	2008/01/10 15:22
S82	1	S74 not S76	USPAT	OR	OFF	2008/01/10 15:29
S83	3	"20040017792"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/10 16:04
S84	72	tim\$3 with value near3 packet with (send\$3 transmi\$5 forward\$3) and RTT	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 10:38
S85	188698	(time period) near4 ((last adj packet) near "5" received)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:11

S86	142	(time period) near4 ((last adj packet) near5 received)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:11
S87	146	((time period) timeout) near4 ((last adj packet) near5 received)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:14
S88	303	S87 not7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:14
S89	4	S87 not S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:14
S90	24	timeout with value with packet with last	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:15
S91	8	timeout with value with (last adj packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:38
S92	47	((("5491800") or ("5499343") or ("5515508") or ("5548723") or ("5553083") or ("5577172") or ("5633999") or ("5678007") or ("5727002") or ("5740355") or ("5742596") or ("5742833") or ("5781550") or ("5781733") or ("5796949") or ("5822524") or ("5826027") or ("5832219") or ("5838683") or ("5841976") or ("5864535") or ("5864683") or ("5867652") or ("5878218") or ("5884324") or ("5889942") or ("5896508") or ("5940516") or ("5978849") or ("6009478") or ("6014671") or ("6014695") or ("6018619") or ("6032189") or ("6032197") or ("6070182") or ("6105059") or ("6122637") or ("6151297") or ("6151602") or ("6151696") or ("6185617") or ("6212175") or ("6212175") or ("6219045") or ("6219045") or ("6223217") or ("6223217") or ("6243360") or ("6263371"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/11 11:43

S93	5	S92 and timeout	USPAT	OR	OFF	2008/01/11 11:43
S94	3	S92 and time-out	USPAT	OR	OFF	2008/01/11 11:47
S95	2	S94 not S93	USPAT	OR	OFF	2008/01/11 11:47
S96	10	(timeout time-out) with value with (last adj packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:47
S97	2	S96 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 11:47
S98	19	S92 and period	USPAT	OR	OFF	2008/01/11 11:49
S99	15	S98 not S93	USPAT	OR	OFF	2008/01/11 11:49
S100	13	S99 not S94	USPAT	OR	OFF	2008/01/11 11:49
S101	385	(timestamp) same udp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:57
S102	32140	(timestamp) same udp timeout	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:58
S103	12	(timestamp) same udp same timeout	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:58
S104	142976	(timestamp) same udp laps\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:59
S105	13	(timestamp) same udp and laps\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:59



S106	13	S105 not S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:59
S107	14	(timestamp) same timeout same (connectionless (connection adj less) connection-less UDP ("User Datagram Protocol"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:02
S108	2	S107 not S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:03
S109	2945	timeout with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:07
S110	659	timeout with server with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:07
S111	1	timeout with server with client with (last adj packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:08
S112	2	timeout with server with (last adj packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:09
S113	7	timeout with server same (last adj packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:09
S114	68	(timeout near (message packet signal )) with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:11
S115	30	S114 and @ad<"20030416"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:11

S116	19	(timeout near (message packet signal )) with server and (connectionless (connection adj less) connection-less UDP ("User Datagram Protocol"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:13
S117	6	S116 and @ad<"20030416"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 13:13
S118	19	(timeout near (message packet signal )) with server and (connectionless (connection adj less) connection-less UDP ("User Datagram Protocol"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 14:20
S119	144	(time period) with (elapsed lapsed) with (last near2 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 14:21
S120	11	time with (last near2 (packet message signal frame)) with inactivity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 14:22
S121	1	("6831912").PN.	USPAT; USOCR	OR	OFF	2008/01/11 14:56
S122	3	("6831912").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 14:56
S123	0	S118 and interval with memory	USPAT	OR	OFF	2008/01/11 15:08
S124	0	S118 and interval same memory	USPAT	OR	OFF	2008/01/11 15:08
S125	2	S118 and time same memory	USPAT	OR	OFF	2008/01/11 15:08
S126	1	S118 and interval same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:09
S127	0	S121 and interval same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:09

S128	0	S121 and time same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:09
S129	1	S121 and time and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:09
S130	1	S121 and time and memory and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:10
S131	1	S121 and time with memory and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:10
S132	0	S121 and time with memory with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:11
S133	0	S121 and time with memory same interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:11
S134	962698	S121 and time with memory and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:11
S135	0	S121 and time with memory and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:11
S136	0	S121 and time with memory and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:11
S137	1	S121 and time and memory and (sav \$3 stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:12

S138	1	S121 and value and (sav\$3 stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:16
S139	0	S121 and value same (sav\$3 stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:17
S140	1	S121 and value and (sav\$3 stor\$3) and interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:17
S141	1901	inactivity with (status signal message packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:18
S142	27783821	@ad< "20030416" @prad<="20030416" @rlad<="20030416"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:19
S143	1404	S141 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:19
S144	1215	((inactivity with (status signal message packet))and @ad< "20030416"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:21
S145	0	S144 and timeout with interval with quantity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:25
S146	42	S144 and timeout with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:25
S147	7	S144 and timeout with interval with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:26

S148	1	S121 and interval	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 15:29
S149	3	((("6012096") or ("6731912") or ("5862326"))).PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/14 18:28
S150	3	((("6012096") or ("6831912") or ("5862326"))).PN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/14 18:29
S151	0	S150 and received with data with (memory buffer cache) with (RTT (round adj trip))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:31
S152	0	S150 and received with data with (memory buffer cache) same (RTT (round adj trip))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:35
S153	0	S150 and received with data same (memory buffer cache) same (RTT (round adj trip))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:35
S154	0	S150 and received same data same (memory buffer cache) same (RTT (round adj trip))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:35
S155	5921	(buffer memory cache) with received with (packet data datagram message) with (compare check)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:43
S156	0	(buffer memory cache) with received with (packet data datagram message) with (compare check) with "not received"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:45
S157	5921	(buffer memory cache) with received with (packet data datagram message) with (compare check) with received	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:45

S158	3	(buffer memory cache) with received with (packet data datagram message) with (compare check) with ((round adj trip) RTT)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/14 18:46
S159	3	((("6012096") or ("6831912") or ("5862326"))). FN.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/15 08:07
S160	0	S159 and data with (remove move delete discard terminate) with (modified returned changed) with packet	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:10
S161	0	S159 and data with (remove move delete discard terminate) with (modified returned changed)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:11
S162	0	S159 and data with (remove move delete discard terminate)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:11
S163	3	S159 and sent	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:14
S164	2	S159 and sent with packet	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:15
S165	1	S159 and sent with packet with buffer	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:15
S166	117	data with (remove move delete discard terminate) with (modified returned changed) with packet	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:16
S167	221	(data message datagram) with (remove move delete discard terminate) with (modified returned changed) with packet	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:26

S168	23	(data message datagram) with (remove move delete discard terminate) with (modified returned changed) with packet with (buffer memory cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 08:27
------	----	---	---	----	----	---------------------

1/ 15/ 2008 2:36:20 PM

C:\Documents and Settings\nmahmoudzadeh\My Documents\EAST\Workspaces\10826167\_20040228284.  
wsp